

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	25	"6,029,092" "20020156860" "20020152298" "20020035404" "20020016639" "20010043686"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 15:33
S1	75	hvac same (security alarm) same (RF wireless)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 10:03
S2	29	S1 and modulat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 10:01
S3	4	S1 and (occupan\$3 adj (sensor detector))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 10:03
S4	285	hvac same (security alarm) and (RF wireless)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 14:56
S5	29	S4 and (occupan\$3 adj (sensor detector))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 10:03
S6	78	(340/539.22).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 12:40
S7	249	(340/539.26).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 12:40
S8	35	(340/539.27).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 12:41
S9	5	(S6 S7 S8) and hvac	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 12:41

S10	15	("4594580").URPN.	USPAT	OR	ON	2004/12/16 13:06
S11	10	("5764146").URPN.	USPAT	OR	ON	2004/12/16 13:09
S12	16	("4752769" "4864136" "4906976" "5106325" "5115967" "5126718" "5221919" "5266807" "5290175" "5395042" "5479812" "5486810" "5509108" "5525846" "5586048" "5640143").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/16 13:09
S13	15	("4688183" "4703171" "5106325" "5115967" "5266807" "5281961" "5290175" "5395042" "5430663" "5479812" "5509108" "5525846" "5565855" "5640143" "5699243").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/16 13:10
S14	48	("4594580" "5786525" "5711480" "5737318" "5909429" "5977851" "5994984" "6594272" "5224648" "5271558" "5341988" "5361985" "5364304" "5385297" "5390206" "5413278" "5481481" "5533668" "5612733" "5810245" "5833134" "5875430" "6116512" "6176436" "6196468" "6241156" "6474084" "6637667" "5548813" "6229434" "6061604" "6061604" "6122678" "6217441" "6217441" "6388399" "6038452" "4897662" "4955038" "4984291" "4989261" "5025486" "5258867" "5726981" "6002933" "6047177" "6128549" "4599745" "4850009" "5261055").pn.	USPAT	OR	ON	2004/12/16 16:14
S15	50	("5450615" "5506848" "5513379" "5526404" "5550868" "5552920" "5559501" "5594943" "5610907" "5614886" "5684828" "5752185" "5815108" "5842118" "5845211" "5864486" "5870389" "5872814" "5887255" "5928325" "5936754" "5940762" "5943618" "5943325" "5978674" "5978689" "5987331" "5995492" "6023460" "6023610" "6023612" "6023621" "6046703" "6047165" "6055418" "6061718" "6075989" "6078269" "6084919" "6097966" "6097704" "6104914" "6104333" "6108523" "6108367" "6130623" "6154637" "6212375" "6215812" "6223317").pn.	USPAT	OR	ON	2004/12/16 16:14

S16	50	("6212375" "6215812" "6223317" "3927316" "3876953" "3852713" "4148019" "4163208" "4088999" "4259746" "4335375" "4336531" "4353064" "4392132" "4415065" "4467140" "4479246" "4551855" "4555735" "4569084" "4569421" "4574163" "4574305" "4603325" "4621375" "4755871" "4775996" "4777633" "4785450" "4792991" "4807031" "4809257" "4817089" "4825448" "4881240" "4882773" "4893317" "4912705" "4935927" "4943983" "4951029" "4958645" "4977577" "4979183" "4979424" "4991201" "4994802" "4996697" "5004999" "5008900").pn.	USPAT	OR	ON	2004/12/16 16:14
S17	34	(S14 S15 S16) and hvac	USPAT	OR	ON	2004/12/16 16:15
S18	12	S17 and security	USPAT	OR	ON	2004/12/16 16:15
S19	430	hvac same security	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 14:57
S20	153	S19 and (CO carbon adj monoxide)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 15:00
S21	61	S20 and ventilation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 14:57
S22	31	S19 and (carbon adj monoxide)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 15:15
S23	1	hvac and ((carbon adj monoxide) same ((activate actuate on) with (ventilation blow\$3 fan)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 15:17
S24	3	("3826180" "5074137" "5576739").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/20 15:18
S25	5	("6110038").URPN.	USPAT	OR	ON	2004/12/20 15:18
S26	1	("5292280").PN.	USPAT	OR	OFF	2004/12/20 15:19

S27	21	S19 and (thermo\$1stat with display)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 16:12
S28	10	(US-20040102859-\$).did. or (US-4594580-\$ or US-4688183-\$ or US-4818970-\$ or US-5971597-\$ or US-6216956-\$ or US-6388399-\$ or US-5461372-\$ or US-6110038-\$ or US-5924486-\$).did.	US-PGPUB; USPAT	OR	ON	2004/12/20 16:45
S29	0	S24 and outdoor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 16:45
S30	2	S24 and outside	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 16:45
S31	19	hvac same security and ((outside outdoor) with (temperature adj (sensor detector)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 12:46
S32	11	hvac same security and ((outside outdoor) with thermostat)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 13:29
S33	23	hvac same security and ((mode setting) with (away conservation))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 13:41
S34	6	hvac and security and ((mode setting) with (away conservation)) and (timer same (button with press\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 13:42
S35	29	hvac and security and ((mode setting) with (away conservation)) and (time with (button switch))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 14:49
S36	5	hvac and security and ((mode setting) with (away conservation)) and (time with increment\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 14:51

S37	2	hvac and ((mode setting) same (away vacation)) same (time with increment\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 14:54
S38	2	hvac and ((mode set\$4 program\$6) same (away vacation)) same (time with increment\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 14:55
S39	17	hvac and ((mode set\$4) same (program\$6)) same (time with increment\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 14:57
S40	1	hvac and security and ((setback set\$1back (set adj back)) with increment\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 14:58
S41	21	hvac and security and ((setback set\$1back (set adj back)) with program\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 15:13
S42	0	hvac and security and (((setback set\$1back (set adj back)) with program\$6) same (button with increment))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 15:03
S43	0	hvac and security and ((setback set\$1back (set adj back)) same (button with increment))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 15:03
S44	7	hvac and ((setback set\$1back (set adj back)) with increment)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 15:13
S45	9	hvac and ((setback set\$1back (set adj back)) with increment\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 15:13